Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	166403	card and (identifier identifying identification serial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/04 07:51
<b>S2</b>	62638	card and (identifier identifying identification serial) near30 (software application code instruction language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/05 10:17
<b>S</b> 3	8	(("20020083322") or ("20030078866") or ("20030212896") or ("20040024735")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/05 10:17
S4	9814	card and (identifier identifying identification serial) and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/05 10:55
<b>S</b> 5	5040	card and java and (identifier identifying identification serial) near30 (software application code instruction language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/05 10:56
<b>S</b> 7	68	card and (identifier identifying identification serial) and ((registered adj2 provider adj2 identif\$5) rid) and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/17 10:43
\$8	1	"2005138354".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 07:45
<b>S</b> 9	0	S8 and (stor\$4 file "7816-5")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 07:45
S10	2	"20050138354".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 07:44
S11	1	(US-20050138354-\$).did.	US-PGPUB	OR	OFF	2005/08/18 07:45
S12	1	S11 and (stor\$4 file "7816-5")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 08:13

	<del></del>				1	T
S13	1	S11 and (configur\$ applet application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 08:28
S14	1	S11 and (configur\$ applet method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 08:29
<b>S</b> 15	1	S11 and (configur\$ applet install instantiat\$ method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 08:54
S16	1	S11 and (configur\$ applet install instantiat\$ initial\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 11:44
S17	0	S11 and (java near30 api)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:29
S18	6	(("5,751,813") or ("6,092,191") or ("6,092,202") or ("6,317, 838B1") or ("6,353,886B1") or ("6,470,447B1") or ("6,526, 506B1") or ("6,542,993B1") or ("6,553,492B1") or ("6,678, 822B1")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 19:09
S19	20	(("5,751,813") or ("6,092,191") or ("6,092,202") or ("6,317,838") or ("6,353,886") or ("6,470,447") or ("6,526,506") or ("6,542,993") or ("6,553,492") or ("6,678,822")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:35
523	0	S11 and download	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 13:36
S24	0	S11 and (session transaction service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:40
S25	1	S11 and (memory power resource indicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:16

S26	12	applet near30 (resource memory) near10 remain\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:26
S29	249	(applet servlet code scrypt) near30 (resource power memory) near10 remain\$4 near30 (indicat\$4 show\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:31
S30	2	(applet servlet code scrypt) near30 (resource power memory) near10 remain\$4 near30 (indicat\$4 show\$4) and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:32
S31	3	(applet servlet java) near30 (resource power memory) near10 remain\$4 near30 (indicat\$4 show\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:35
S32	51	(applet servlet java) near30 (resource power memory) near30 remain\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:46
S33	3	(applet servlet java) near30 (variable parameter value) near30 (resource power memory) near30 remain\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:47
S34	340	(applet servlet java) near30 (variable parameter value) near30 (resource power memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:47
S35	1	S11 and (management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:22
<b>S36</b>	0	S11 and (install)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:22
S37	1	S11 and (install\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:38

S38	1	S11 and (install\$ initial\$ instantiat\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:39
S39	1	S11 and (install\$ initial\$ instantiat\$ application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:41
S40	1918	card and (identifier identifying identification serial) and ((registered adj2 provider adj2 identif\$5) rid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:34
S41	. 9	card and (identifier identifying identification serial) and ((registered adj2 provider adj2 identif\$5) rid) and 235/492.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 16:33
542	294	card and (identifier identifying identification serial) and ((registered adj2 provider adj2 identif\$5) rid) and "235"/\$.ccls. not 235/492.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 07:56
S43	2	card and (identifier identifying identification serial) and ((registered adj2 provider adj2 identif\$5) rid) and java and "235"/\$.ccls. not 235/492.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 07:57
544	6154	instantiat\$4 same method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/04 07:51
S45	1597	instantiat\$4 same method same application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/04 07:52
S46	302	S45 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/04 07:53
S47	37	S45 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/04 07:53

					<del></del>	
548	232	instantiat\$4 same interpreter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2006/03/04 09:37
S49	2	"6976635".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 16:00
S50	310061	(parameter\$1 variable\$1) near30 (customiz\$5 modifi\$5 modifying chang\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:36
S51	1691	(parameter\$1 variable\$1) near30 (customiz\$5 modifi\$5 modifying chang\$4) and aid and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:36
<b>S</b> 52	25285859	@ad<="20040224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:37
S53	1355	S51 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:37
S54	7	S51 and S52 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:40
S55	13	S51 and S52 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:43
S56	6	javacard\$2 and attribute\$1 and (application adj id) and service\$1 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 16:36
S57	5	javacard\$2 and attribute\$1 and (application adj id) and service\$1 and "235"/492.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 16:36
S58	9	("20020058534"   "5763862"   "5878134"   "5979773"   "6112985"   "6164549"   "6367696"   "6425522"   "6575835"). PN. OR ("6976635").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 09:27

		EAST Scaren misco				
S59	0	javacard\$2 and attribute\$1 and (application adj id) and service\$1 and "711"/492.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/05/19 16:36
S60	0	javacard\$2 and attribute\$1 and (application adj id) and service\$1 and "713"/492.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 16:36
S61	173	install\$4 near30 (parameter\$1 variable\$1) and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 10:02
S62	225	(installation install\$4) near30 (parameter\$1 variable\$1) and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 10:02
S63	19	(installation install\$4) near30 (parameter\$1 variable\$1) and "235"/\$.ccls. and (java javacard)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 11:06
S64	37	"6,101,477"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 10:38
S65	15	(applet application) near30 (parameter\$1 variable\$1) same (install\$4 installation deploy\$4) and "235"/\$.ccls. and (java javacard)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 11:07
S66	1	(applet application) near30 (parameter\$1 variable\$1) same (install\$4 installation deploy\$4) and "235"/\$.ccls. and (java javacard) not S63	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 11:18
S67	22	(configur\$4 customiz\$5) near30 (applet\$1 application\$1) same (install\$4 installation deploy\$5) and (java javacard) and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 11:20
S68	10	(configur\$4 customiz\$5) near30 (applet\$1 application\$1) same (install\$4 installation deploy\$5) and (java javacard) and "235"/\$.ccls. not \$63	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 11:2
S69	13	(configur\$4 customiz\$5) near30 (applet\$1 application\$1) same (install\$4 installation deploy\$5) and (java javacard) and "711"/\$.ccls. not \$63	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 11:2
S70	91	(configur\$4 customiz\$5) near30 (applet\$1 application\$1) same (install\$4 installation deploy\$5) and (java javacard) and "713"/\$.ccls. not (\$63 \$69)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 11:2
S71	3	(configur\$4 customiz\$5) near30 (applet\$1 application\$1) same (install\$4 installation deploy\$5) and (javacard) and "713"/\$. ccls. not (S63 S69)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 19:0
S72	47865	((application adj identifier) aid).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 19:0
<b>S</b> 73	999	customization.clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 19:0
S74	346477	configur\$4.clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 19:0
<b>S</b> 75	19392	instantiat\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 19:0
S76	3164	instantiat\$4.clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 19:0

S77	5675	smart.clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/22 19:06
S78	1	S72 S73 S74 S76 S77	US-PGPUB; USPAT; USOCR	AND	OFF	2006/05/22 19:06
S79	33	("20010000814" "20020040936" "5481715" "5721781" "57427 56" "5802519" "5844218" "5894550" "5912453" "6005942" "6 038551" "6052690" "6094656" "6233683" "6308317" "641855 4" "6477702" "6481632").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 10:30

5/23/2006 10:33:58 AM C:\Documents and Settings\tmai1\My Documents\EAST\Workspaces\10786506.wsp

Page 7